

2020 Price list - PCB - High-Purity Compounds

| PCB solutions | | | | | | | | |
|----------------|---|-----|-------|------------|--------------|-----------------------|-------------|--|
| CODE | DESCRIPTION | VOL | UNITS | SHELF LIFE | CLASS | ISO 17034 \ ISO 17025 | PRICE, A \$ | |
| MS-PCB001K1ZT1 | PCB 1 [CAS:2051-60-7] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB001K5ZT1 | PCB 1 [CAS:2051-60-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB002K1ZT1 | PCB 2 [CAS:2051-61-8] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB002K5ZT1 | PCB 2 [CAS:2051-61-8] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB003K1ZT1 | PCB 3 [CAS:2051-62-9] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB003K5ZT1 | PCB 3 [CAS:2051-62-9] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB004K1ZT1 | PCB 4 [CAS:13029-08-8] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB004K5ZT1 | PCB 4 [CAS:13029-08-8] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB005K1ZT1 | PCB 5 [CAS:16605-91-7] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB005K5ZT1 | PCB 5 [CAS:16605-91-7] 500 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 | |
| MS-PCB006K1ZT1 | PCB 6 [CAS:25569-80-6] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 | |
| MS-PCB006K5ZT1 | PCB 6 [CAS:25569-80-6] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 | |
| MS-PCB007K1ZT1 | PCB 7 [CAS:33284-50-3] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB007K5ZT1 | PCB 7 [CAS:33284-50-3] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 | |
| MS-PCB008K1ZT1 | PCB 8 [CAS:34883-43-7] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 48 | |
| MS-PCB008K5ZT1 | PCB 8 [CAS:34883-43-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 | |
| MS-PCB009K1ZT1 | PCB 9 [CAS:34883-39-1] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 38 | |
| MS-PCB009K5ZT1 | PCB 9 [CAS:34883-39-1] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 | |
| MS-PCB010K1ZT1 | PCB 10 [CAS:33146-45-1] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB010K5ZT1 | PCB 10 [CAS:33146-45-1] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 | |
| MS-PCB011K1ZT1 | PCB 11 [CAS:2050-67-1] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB011K5ZT1 | PCB 11 [CAS:2050-67-1] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 | |
| MS-PCB013K1ZT1 | PCB 13 [CAS:2974-90-5] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 | |
| MS-PCB013K5ZT1 | PCB 13 [CAS:2974-90-5] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 | |
| MS-PCB012K1ZT1 | PCB 12 [CAS:2974-92-7] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 | |

| | | | | | | | |
|----------------|--|---|----|---------|--------------|-----|----|
| MS-PCB012K5ZT1 | PCB 12 [CAS:2974-92-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB014K1ZT1 | PCB 14 [CAS:34883-41-5] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 |
| MS-PCB014K5ZT1 | PCB 14 [CAS:34883-41-5] 500 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 |
| MS-PCB015K1ZT1 | PCB 15 [CAS:2050-68-2] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB015K5ZT1 | PCB 15 [CAS:2050-68-2] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB016K1ZT1 | PCB 16 [CAS:38444-78-9] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB016K5ZT1 | PCB 16 [CAS:38444-78-9] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |
| MS-PCB017K1ZT1 | PCB 17 [CAS:37680-66-3] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB017K5ZT1 | PCB 17 [CAS:37680-66-3] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |
| MS-PCB018K1ZT1 | PCB 18 [CAS:37680-65-2] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 |
| MS-PCB018K5ZT1 | PCB 18 [CAS:37680-65-2] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 |
| MS-PCB019K1ZT1 | PCB 19 [CAS:38444-73-4] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB019K5ZT1 | PCB 19 [CAS:38444-73-4] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |
| MS-PCB020K1ZT1 | PCB 20 [CAS:38444-84-7] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB020K5ZT1 | PCB 20 [CAS:38444-84-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB021K1ZT1 | PCB 21 [CAS:55702-46-0] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB021K5ZT1 | PCB 21 [CAS:55702-46-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB022K1ZT1 | PCB 22 [CAS:38444-85-8] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB022K5ZT1 | PCB 22 [CAS:38444-85-8] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |
| MS-PCB023K1ZT1 | PCB 23 [CAS:55720-44-0] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB023K5ZT1 | PCB 23 [CAS:55720-44-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |
| MS-PCB024K1ZT1 | PCB 24 [CAS:55702-45-9] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB024K5ZT1 | PCB 24 [CAS:55702-45-9] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB025K1ZT1 | PCB 25 [CAS:55712-37-3] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB025K5ZT1 | PCB 25 [CAS:55712-37-3] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB026K1ZT1 | PCB 26 [CAS:38444-81-4] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB026K5ZT1 | PCB 26 [CAS:38444-81-4] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB027K1ZT1 | PCB 27 [CAS:38444-76-7] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |

| CODE | DESCRIPTION | VOL | UNITS | SHELF LIFE | CLASS | ISO 17034 ISO 17025 | PRICE, A \$ |
|----------------|--|-----|-------|------------|--------------|-----------------------|-------------|
| MS-PCB027K5ZT1 | PCB 27 [CAS:38444-76-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |
| MS-PCB028K1ZT1 | PCB 28 [CAS:7012-37-5] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB028K5ZT1 | PCB 28 [CAS:7012-37-5] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB029K1ZT1 | PCB 29 [CAS:15862-07-4] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB029K5ZT1 | PCB 29 [CAS:15862-07-4] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB030K1ZT1 | PCB 30 [CAS:35693-92-6] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 32 |
| MS-PCB030K5ZT1 | PCB 30 [CAS:35693-92-6] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 38 |
| MS-PCB031K1ZT1 | PCB 31 [CAS:16606-02-3] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB031K5ZT1 | PCB 31 [CAS:16606-02-3] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB032K1ZT1 | PCB 32 [CAS:38444-77-8] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB032K5ZT1 | PCB 32 [CAS:38444-77-8] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |
| MS-PCB033K1ZT1 | PCB 33 [CAS:38444-86-9] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB033K5ZT1 | PCB 33 [CAS:38444-86-9] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB034K1ZT1 | PCB 34 [CAS:37680-68-5] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB034K5ZT1 | PCB 34 [CAS:37680-68-5] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB035K1ZT1 | PCB 35 [CAS:37680-69-6] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB035K5ZT1 | PCB 35 [CAS:37680-69-6] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB036K1ZT1 | PCB 36 [CAS:38444-87-0] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB036K5ZT1 | PCB 36 [CAS:38444-87-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |
| MS-PCB037K1ZT1 | PCB 37 [CAS:38444-90-5] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB037K5ZT1 | PCB 37 [CAS:38444-90-5] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |
| MS-PCB038K1ZT1 | PCB 38 [CAS:53555-66-1] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB038K5ZT1 | PCB 38 [CAS:53555-66-1] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |
| MS-PCB039K1ZT1 | PCB 39 [CAS:38444-88-1] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB039K5ZT1 | PCB 39 [CAS:38444-88-1] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |
| MS-PCB042K1ZT1 | PCB 42 [CAS:36559-22-5] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB042K5ZT1 | PCB 42 [CAS:36559-22-5] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |

| | | | | | | | |
|----------------|--|---|----|---------|--------------|-----|-----|
| MS-PCB043K1ZT1 | PCB 43 [CAS:70362-46-8] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB043K5ZT1 | PCB 43 [CAS:70362-46-8] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 68 |
| MS-PCB044K1ZT1 | PCB 44 [CAS:41464-39-5] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB044K5ZT1 | PCB 44 [CAS:41464-39-5] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB047K1ZT1 | PCB 47 [CAS:2437-79-8] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 32 |
| MS-PCB047K5ZT1 | PCB 47 [CAS:2437-79-8] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 38 |
| MS-PCB049K1ZT1 | PCB 49 [CAS:41464-40-8] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB049K5ZT1 | PCB 49 [CAS:41464-40-8] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB051K1ZT1 | PCB 51 [CAS:68194-04-7] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 74 |
| MS-PCB051K5ZT1 | PCB 51 [CAS:68194-04-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 86 |
| MS-PCB052K1ZT1 | PCB 52 [CAS:35693-99-3] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB052K5ZT1 | PCB 52 [CAS:35693-99-3] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB053K1ZT1 | PCB 53 [CAS:41464-41-9] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 38 |
| MS-PCB053K5ZT1 | PCB 53 [CAS:41464-41-9] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 44 |
| MS-PCB055K1ZT1 | PCB 55 [CAS:74338-24-2] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 60 |
| MS-PCB055K5ZT1 | PCB 55 [CAS:74338-24-2] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB056K1ZT1 | PCB 56 [CAS:41464-43-1] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 48 |
| MS-PCB056K5ZT1 | PCB 56 [CAS:41464-43-1] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB057K1ZT1 | PCB 57 [CAS:70424-67-8] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 77 |
| MS-PCB057K5ZT1 | PCB 57 [CAS:70424-67-8] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 88 |
| MS-PCB058K1ZT1 | PCB 58 [CAS:41464-49-7] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 66 |
| MS-PCB058K5ZT1 | PCB 58 [CAS:41464-49-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 74 |
| MS-PCB059K1ZT1 | PCB 59 [CAS:74472-33-6] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 95 |
| MS-PCB059K5ZT1 | PCB 59 [CAS:74472-33-6] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 105 |
| MS-PCB060K1ZT1 | PCB 60 [CAS:33025-41-1] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 50 |
| MS-PCB060K5ZT1 | PCB 60 [CAS:33025-41-1] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB061K1ZT1 | PCB 61 [CAS:33284-53-6] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 50 |
| MS-PCB061K5ZT1 | PCB 61 [CAS:33284-53-6] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 |

| CODE | DESCRIPTION | VOL | UNITS | SHELF LIFE | CLASS | ISO 17034 \ ISO 17025 | PRICE, A \$ |
|----------------|--|-----|-------|------------|--------------|-----------------------|-------------|
| MS-PCB063K1ZT1 | PCB 63 [CAS:74472-34-7] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 77 |
| MS-PCB063K5ZT1 | PCB 63 [CAS:74472-34-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 88 |
| MS-PCB064K1ZT1 | PCB 64 [CAS:52663-58-8] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 95 |
| MS-PCB064K5ZT1 | PCB 64 [CAS:52663-58-8] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 99 |
| MS-PCB066K1ZT1 | PCB 66 [CAS:32598-10-0] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 48 |
| MS-PCB066K5ZT1 | PCB 66 [CAS:32598-10-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB067K1ZT1 | PCB 67 [CAS:73575-53-8] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 95 |
| MS-PCB067K5ZT1 | PCB 67 [CAS:73575-53-8] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 100 |
| MS-PCB068K1ZT1 | PCB 68 [CAS:73575-52-7] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 64 |
| MS-PCB068K5ZT1 | PCB 68 [CAS:73575-52-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 74 |
| MS-PCB070K1ZT1 | PCB 70 [CAS:32598-11-1] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 50 |
| MS-PCB070K5ZT1 | PCB 70 [CAS:32598-11-1] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB071K1ZT1 | PCB 71 [CAS:41464-46-4] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 65 |
| MS-PCB071K5ZT1 | PCB 71 [CAS:41464-46-4] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB072K1ZT1 | PCB 72 [CAS:41464-42-0] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 50 |
| MS-PCB072K5ZT1 | PCB 72 [CAS:41464-42-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB073K1ZT1 | PCB 73 [CAS:74338-23-1] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 76 |
| MS-PCB073K5ZT1 | PCB 73 [CAS:74338-23-1] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 90 |
| MS-PCB074K1ZT1 | PCB 74 [CAS:32690-93-0] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 65 |
| MS-PCB074K5ZT1 | PCB 74 [CAS:32690-93-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB075K1ZT1 | PCB 75 [CAS:32598-12-2] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 64 |
| MS-PCB075K5ZT1 | PCB 75 [CAS:32598-12-2] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB076K1ZT1 | PCB 76 [CAS:70362-48-0] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 64 |
| MS-PCB076K5ZT1 | PCB 76 [CAS:70362-48-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB077K1ZT1 | PCB 77 [CAS:32598-13-3] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 40 |
| MS-PCB077K5ZT1 | PCB 77 [CAS:32598-13-3] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 44 |
| MS-PCB078K1ZT1 | PCB 78 [CAS:70362-49-1] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 66 |

| | | | | | | | |
|----------------|---|---|----|---------|--------------|-----|-----|
| MS-PCB078K5ZT1 | PCB 78 [CAS:70362-49-1] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB079K1ZT1 | PCB 79 [CAS:41464-48-6] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 62 |
| MS-PCB079K5ZT1 | PCB 79 [CAS:41464-48-6] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB080K1ZT1 | PCB 80 [CAS:33284-52-5] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 63 |
| MS-PCB080K5ZT1 | PCB 80 [CAS:33284-52-5] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 73 |
| MS-PCB081K1ZT1 | PCB 81 [CAS:70362-50-4] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 50 |
| MS-PCB081K5ZT1 | PCB 81 [CAS:70362-50-4] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB090K1ZT1 | PCB 90 [CAS:68194-07-0] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 77 |
| MS-PCB090K5ZT1 | PCB 90 [CAS:68194-07-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 88 |
| MS-PCB092K1ZT1 | PCB 92 [CAS:52663-61-3] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 64 |
| MS-PCB092K5ZT1 | PCB 92 [CAS:52663-61-3] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB101K1ZT1 | PCB 101 [CAS:37680-73-2] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 49 |
| MS-PCB101K5ZT1 | PCB 101 [CAS:37680-73-2] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB105K1ZT1 | PCB 105 [CAS:32598-14-4] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 49 |
| MS-PCB105K5ZT1 | PCB 105 [CAS:32598-14-4] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB106K1ZT1 | PCB 106 [CAS:70424-69-0] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 62 |
| MS-PCB106K5ZT1 | PCB 106 [CAS:70424-69-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB107K1ZT1 | PCB 107 [CAS:70424-68-9] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 63 |
| MS-PCB107K5ZT1 | PCB 107 [CAS:70424-68-9] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB108K1ZT1 | PCB 108 [CAS:70362-41-3] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 63 |
| MS-PCB108K5ZT1 | PCB 108 [CAS:70362-41-3] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB109K1ZT1 | PCB 109 [CAS:74472-35-8] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 78 |
| MS-PCB109K5ZT1 | PCB 109 [CAS:74472-35-8] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 88 |
| MS-PCB110K1ZT1 | PCB 110 [CAS:38380-03-9] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 64 |
| MS-PCB110K5ZT1 | PCB 110 [CAS:38380-03-9] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB111K1ZT1 | PCB 111 [CAS:39635-32-0] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 95 |
| MS-PCB111K5ZT1 | PCB 111 [CAS:39635-32-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 105 |
| MS-PCB113K1ZT1 | PCB 113 [CAS:68194-10-5] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 95 |

| CODE | DESCRIPTION | VOL | UNITS | SHELF LIFE | CLASS | ISO 17034 \ ISO 17025 | PRICE, A \$ |
|----------------|--|-----|-------|------------|--------------|-----------------------|-------------|
| MS-PCB113K5ZT1 | PCB 113 [CAS:68194-10-5] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 105 |
| MS-PCB114K1ZT1 | PCB 114 [CAS:74472-37-0] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 50 |
| MS-PCB114K5ZT1 | PCB 114 [CAS:74472-37-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB115K1ZT1 | PCB 115 [CAS:74472-38-1] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 62 |
| MS-PCB115K5ZT1 | PCB 115 [CAS:74472-38-1] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 72 |
| MS-PCB118K1ZT1 | PCB 118 [CAS:31508-00-6] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 50 |
| MS-PCB118K5ZT1 | PCB 118 [CAS:31508-00-6] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB119K1ZT1 | PCB 119 [CAS:56558-17-9] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 62 |
| MS-PCB119K5ZT1 | PCB 119 [CAS:56558-17-9] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 73 |
| MS-PCB120K1ZT1 | PCB 120 [CAS:68194-12-7] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 64 |
| MS-PCB120K5ZT1 | PCB 120 [CAS:68194-12-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 72 |
| MS-PCB121K1ZT1 | PCB 121 [CAS:56558-18-0] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 60 |
| MS-PCB121K5ZT1 | PCB 121 [CAS:56558-18-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB122K1ZT1 | PCB 122 [CAS:76842-07-4] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB122K5ZT1 | PCB 122 [CAS:76842-07-4] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB123K1ZT1 | PCB 123 [CAS:65510-44-3] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB123K5ZT1 | PCB 123 [CAS:65510-44-3] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB124K1ZT1 | PCB 124 [CAS:70424-70-3] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB124K5ZT1 | PCB 124 [CAS:70424-70-3] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB125K1ZT1 | PCB 125 [CAS:74472-39-2] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB125K5ZT1 | PCB 125 [CAS:74472-39-2] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB126K1ZT1 | PCB 126 [CAS:57465-28-8] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB126K5ZT1 | PCB 126 [CAS:57465-28-8] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB127K1ZT1 | PCB 127 [CAS:39635-33-1] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB127K5ZT1 | PCB 127 [CAS:39635-33-1] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB138K1ZT1 | PCB 138 [CAS:35065-28-2] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB138K5ZT1 | PCB 138 [CAS:35065-28-2] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | 1 | ml | 24 mths | PCB solution | Yes | 52 |

| | | | | | | | | |
|----------------|--|---------|---|----|---------|--------------|-----|----|
| MS-PCB153K1ZT1 | PCB 153 [CAS:35065-27-1] 100 ug/ml in Iso-octane conditions: Stored under normal laboratory conditions | Storage | 1 | ml | 24 mths | PCB solution | Yes | 50 |
| MS-PCB153K5ZT1 | PCB 153 [CAS:35065-27-1] 500ug/ml in Iso-octane conditions: Stored under normal laboratory conditions | Storage | 1 | ml | 24 mths | PCB solution | Yes | 58 |
| MS-PCB156K1ZT1 | PCB 156 [CAS:38380-08-4] 100ug/ml in Iso-octane conditions: Stored under normal laboratory conditions | Storage | 1 | ml | 24 mths | PCB solution | Yes | 45 |
| MS-PCB156K5ZT1 | PCB 156 [CAS:38380-08-4] 500ug/ml in Iso-octane conditions: Stored under normal laboratory conditions | Storage | 1 | ml | 24 mths | PCB solution | Yes | 52 |
| MS-PCB157K1ZT1 | PCB 157 [CAS:69782-90-7] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 59 |
| MS-PCB157K5ZT1 | PCB 157 [CAS:69782-90-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB158K1ZT1 | PCB 158 [CAS:74472-42-7] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 65 |
| MS-PCB158K5ZT1 | PCB 158 [CAS:74472-42-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 74 |
| MS-PCB162K1ZT1 | PCB 162 [CAS:39635-34-2] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 78 |
| MS-PCB162K5ZT1 | PCB 162 [CAS:39635-34-2] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 88 |
| MS-PCB163K1ZT1 | PCB 163 [CAS:74472-44-9] 100ug/ml in Iso-octane conditions: Stored under normal laboratory conditions | Storage | 1 | ml | 24 mths | PCB solution | Yes | 62 |
| MS-PCB163K5ZT1 | PCB 163 [CAS:74472-44-9] 500ug/ml in Iso-octane conditions: Stored under normal laboratory conditions | Storage | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB164K1ZT1 | PCB 164 [CAS:74472-45-0] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 62 |
| MS-PCB164K5ZT1 | PCB 164 [CAS:74472-45-0] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 72 |
| MS-PCB167K1ZT1 | PCB 167 [CAS:52663-72-6] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 50 |
| MS-PCB167K5ZT1 | PCB 167 [CAS:52663-72-6] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB168K1ZT1 | PCB 168 [CAS:59291-65-5] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 65 |
| MS-PCB168K5ZT1 | PCB 168 [CAS:59291-65-5] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB169K1ZT1 | PCB 169 [CAS:32774-16-6] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 50 |
| MS-PCB169K5ZT1 | PCB 169 [CAS:32774-16-6] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB180K1ZT1 | PCB 180 [CAS:35065-29-3] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 50 |
| MS-PCB180K5ZT1 | PCB 180 [CAS:35065-29-3] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 55 |
| MS-PCB191K1ZT1 | PCB 191 [CAS:74472-50-7] 100ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 60 |
| MS-PCB191K5ZT1 | PCB 191 [CAS:74472-50-7] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 70 |
| MS-PCB195K1ZT1 | PCB 195 [CAS:52663-78-2] 100 ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 60 |
| MS-PCB195K5ZT1 | PCB 195 [CAS:52663-78-2] 500ug/ml in Iso-octane Storage conditions: Stored under normal laboratory conditions | | 1 | ml | 24 mths | PCB solution | Yes | 72 |